ಶ್ರೀ ಜಿ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಚಿಕ್ಕಮಗಳೂರು ಮಲ್ಲೇಗೌಡ ಜನರಲ್ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ಇ.ಸಿ.ಜಿ. ಮೆಷಿನ್ ಕೆಟ್ಟುಹೋಗಿರುವುದರಿಂದ ಆಗಿರತಕ್ಕ ಅನಾನುಕೂಲದ ಪರಿಹಾರಕ್ಕೆ ಏನು ಏರ್ಪಾಡು ನಡೆಸುತ್ತಿದ್ದೀರಿ ? ಈಗ ಅಲ್ಲಿರುವ ರೋಗಿಗಳಿಗೆ ತೊಂದರೆಯಾಗದೆ ಇರುವುದಕ್ಕೆ ಏನು ವ್ಯವಸ್ಥೆ ಮಾಡುತ್ತೀರಾ ?

† ಶ್ರೀ ಎಚ್. ಸಿದ್ದವೀರಪ್ಪ.—ತಮಗೆ ಗೊತ್ತಿರುವ ಹಾಗೆ ಇ.ಸಿ.ಜಿ. ಮೆಷಿನ್‌ಗೆ ಆರ್ಡರ್ ಕೊಟ್ಟಿದ್ದೇವೆ, ಅದು ಬಂದು ಇ.ಸಿ.ಜಿ. ವೆಷಿನ್ ಇನ್‌ಸ್ಟಾಲ್ ಆಗಬೇಕು, ಅದಕ್ಕೆ ತಕ್ಕ ಕಾರ್ಯಕ್ರಮ ತೆಗೆದುಕೊಂಡಿದ್ದೇವೆ. ಇಷ್ಟರಲ್ಲಿ ಆ ತೊಂದರೆ ಬಗೆಹರಿಯುತ್ತದೆ ಎಂದು ತಿಳಿಸುತ್ತೇನೆ.

ಶ್ರೀ ಜಿ. ಪುಟ್ಟಸ್ವಾಮಿ.— ಸ್ವಾಮಿ, ತಾವು (ಇ) ಗೆ ಉತ್ತರವಾಗಿ ಕೆಲವು ವೈದ್ಯರುಗಳು ಹುದ್ದೆ ಖಾಲಿ ಇವೆ ಎಂದು ಹೇಳಿದ್ದೀರಿ. ಯಾವ ಯಾವ ಆಸ್ಪತ್ರೆಗಳಲ್ಲಿ ಎಷ್ಟೆಷ್ಟು ಹುದ್ದೆಗಳು ಖಾಲಿ ಇವೆ ಎನ್ನುವುದನ್ನು ಹೇಳುತ್ತೀರಾ ?

ಶ್ರೀ ಎಚ್. ಸಿದ್ದವೀರಪ್ಪ.—ಚಿಕ್ಕಮಗಳೂರು ಮೆಟರ್ನಿಟಿ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ಎರಡು ಮೆಡಿಕಲ್ ಆಫೀಸರ್ ಹುದ್ದೆ ಖಾಲಿ ಇವೆ, ಜನರಲ್ ಹಾಸ್ಪಿಟಲ್ ಮಿಟಿ.ಕ್ಲಿನಿಕ್‌ನಲ್ಲಿ ಒಂದು ವೇಕೆನ್ಸಿ ಇದೆ. ಹಿರೇನೆಲ್ಲೂರ್‌ನಲ್ಲಿ 2 ವೇಕೆನ್ಸಿ ಖಾಲಿ ಇವೆ, ಅದು ಪ್ರಾರಂಭ ಆದಾಗಿನಿಂದಲೂ ಅಲ್ಲಿ ಖಾಲಿ ಇದೆ, ಅದು ಏತಕ್ಕೆ ಆ ರೀತಿ ಆಯಿತೋ ಗೊತ್ತಿಲ್ಲ. ಕಳಸದಲ್ಲಿ ಒಂದು ವೆಕೆನ್ಸಿ ಇದೆ, ಕೊಪ್ಪದಲ್ಲಿ ಒಂದು ವೇಕೆನ್ಸಿ ಇದೆ. ಕಂಬ್ಯೌಂಡ್ ಡಿಸ್ಪೆನ್ಸರಿಯಲ್ಲಿ ಒಂದು ವೇಕೆನ್ಸಿ ಇದೆ, ಒಟ್ಟು ಚಿಕ್ಕಮಗಳೂರು ಜಿಲ್ಲೆಯ ಆಸ್ಪತ್ರೆಗೆ 76 ಸ್ಯಾಂಕ್ಷನ್ಡ್ ಪೋಸ್ಟ್ಸ್ ಇವೆ. ಅದರಲ್ಲಿ ಇಷ್ಟು ಪೋಸ್ಟ್ಸ್ ವೇಕೆಂಟ್ ಇವೆ. ಅದಷ್ಟು ಜಾಗ್ರತೆಯಾಗಿ ಟೆಂಪರರಿಯಾಗಿಯಾದರೂ ಆ ವೇಕೆನ್ಸಿಗಳನ್ನು ಭರ್ತಿ ಮಾಡಲು ಪ್ರಯತ್ನ ಮಾಡುತ್ತೇವೆ ಒಟ್ಟಿನಲ್ಲಿ ಅದರಲ್ಲಿ ಕಷ್ಟ ಏನು ಇದೆ ಎಂದರೆ ಹೆಂಗಸರು ಯಾರೂ ನಿಮ್ಮ ಜಿಲ್ಲೆಗೆ ಬರುವುದಿಲ್ಲ. ನಿಮ್ಮ ಜಿಲ್ಲೆಯಲ್ಲಿರತಕ್ಕ ಹೆಣ್ಣುಮಕ್ಕಳನ್ನು ಎಂ.ಬಿ.ಬಿ.ಎಸ್‌ಗೆ ಕಳುಹಿಸಿ ತಯಾರು ಮಾಡಿದರೆ ನಿಮಗೇ ಅನುಕೂಲವಾಗುತ್ತದೆ.

ಶ್ರೀ ಜಿ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಸ್ವಾಮಿ, ಯಾರು ಹೆಂಗಸರು ಅಲ್ಲಿಗೆ ಹೋಗುವುದಿಲ್ಲವೋ ಅಂತಹವರ ಮೇಲೆ ಸಿ.ಸಿ.ಎ. ರೂಲ್ಸ್ ಪ್ರಕಾರ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕಾಗುವುದಿಲ್ಲವೇ ?

ಶ್ರೀ ಎಚ್. ಸಿದ್ದವೀರಪ್ಪ.—ಅವರು ಮನೆಯನ್ನೇ ಬಿಟ್ಟು ಹೋಗುವುದಿಲ್ಲ. ನಾವು ಗಂಡನ ಮನೆಗೇ ಹೋಗುತ್ತೇವೆ ಎಂದರೆ ಅವರ ಮೇಲೆ ಏನು ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕಾಗುತ್ತದೆ ?

MADAM SPEAKER.—Now Question hour is over.

QUESTIONS FOR ANSWERS ON THE DAY
(but not taken up)

Lift irrigation Schemes in Ranebennur Taluk

368. Sri K. B. KOLIWAD (Ranebennur).—

Will the Minister for Public Works and Electricity be pleased to state :—

(*a*) the number of Lift Irrigation schemes investigated in Ranebennur taluk ;

(*b*) the number of them that will be taken up for execution this year ;

(*c*) the difficulties, if any, to take up all the lift irrigation eschmes for execution ?

Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Nine.

(*b*) 3 Lift Irrigation Schemes have been sanctioned and are under progress. Two more Lift Irrigation Schemes will be taken up this year.

(*c*) The Plans and estimates of the remaining schemes are under technical scrutiny. They will be taken up after sanction as and when funds are avaliable.

Repairs to Breached Tanks in Mysore Taluk

631. Sri K. PUTTASWAMY (Chamundeswari).—

Will the Minister for Public Works and Electricity be pleased to state :—

(*a*) the tanks in Mysore Taluk which breached during the year 1972 due to very heavy rains ;

(*b*) whether the estimates are prepared for repairing or reconstructing such tanks (details may be furnished) ;

(*c*) whether Government have not so far been able to take up repairing or reconstructing any of the works ;

(*d*) if so, the difficulties coming in their way ?

Sri H. M CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Six tanks have breached *viz.*

1. Bommanahally tank
2. Hulilalu Doddegowdanakatte
3. Hemmanahalli Hosakere
4. Muganahundi Devagahalli tank
5. Rayanakere Farm tank
6. Mydanahally old tank

(*b*) Estimates have been prepared. The estimated amount is as follows for each tank.

1. Rs. 30,300-00
2. Rs. 17,400-00
3. Rs. 49,000
4. Rs. 2,08,500
5. Rs. 1.25,000
6. Rs. 37,100